

ISC KT282 APEX/Rope Wrench Climbing System kits are CE Certified to PPE Regulation (EU) 2016/425. In order to be compliant, kits must comprise compatible hardware and cordage, with hitch cords (of the correct type, length and diameter) tied in the correct, prescribed configuration.

It should be noted that climbers may source and use rope/cordage from different suppliers. It is not mandatory that rope and/or cordage should be sourced directly from ISC, nor that it should bear ISC 'Part of Kit KT282' labelling, as long as the correct brand, model and diameter (and hitch cord length) is used, and the rope/cordage bears the manufacturer's EN1891-A labelling, relating to the rope/cord and its termination(s).

Example 1: 85cm Hitch Cord:

HT085A Teufelberger + ISC Label

Original label on Component of ISC KT282



OP 10mm e2e
L:0,85m
MBL: 25kN
EN566:2017
EN795B:2012
ANSI Z133-2017 (HITCH CORD)
AS/NZS5532:2013
Rating single person/
Limited free fall
Ser. No.:
XX/XX-XXXXXX

Single user only
Personnel attachment only

AS/NZS 5532 2013
BMP 695852


UK CA
Teufelberger

Australian/New Zealand Standards

Part of ISC Rope Wrench System– KT282

HT085B ISC Label

Original label on Component of ISC KT282




iscwales.com

ISIC HT085B Date: MM/YY
UK, LL57 4YH SN#: YYBBBBBBNNNN

Ø10mm Ocean Polyester 85cm Eye & Eye
EN795:2012(B) EN566:2017 EN354:2010
CE 0598 MBS 24kN (Part of KT282)

Use & Store as Specified in UIM
Inspect Prior to Use, Professional Use ONLY

ACCEPTABLE
product alternative



OP 10mm e2e
L:0,85m
MBL: 25kN
EN566:2017
EN795B:2012
ANSI Z133-2017 (HITCH CORD)
AS/NZS5532:2013
Rating single person/
Limited free fall
Ser. No.:
XX/XX-XXXXXX

Single user only
Personnel attachment only

AS/NZS 5532 2013
BMP 695852

UK CA
Teufelberger

Australian/New Zealand Standards

- ✓ Same product type
- ✓ Same diameter
- ✓ Same length
- Different label ('Part of KT282' label not present)

UNACCEPTABLE
product alternative



OP 10mm e2e
L:0,76m
MBL: 25kN
EN566:2017
EN795B:2012
ANSI Z133-2017 (HITCH CORD)
AS/NZS5532:2013
Rating single person/
Limited free fall
Ser. No.:
XX/XX-XXXXXX

Single user only
Personnel attachment only

AS/NZS 5532 2013
BMP 695852


UK CA
Teufelberger

Australian/New Zealand Standards

- ✓ Same Product type
- ✓ Same diameter
- ✗ Different length cord
- ✗ Different label with wrong length

Example 2: 60cm Hitch Cord:

HT060A ISC Label



- ✓ Same Product type
- ✓ Same diameter
- ✗ Different length cord
- ✗ Different label with wrong length

HT060A Hitch Cord

PLEASE NOTE

The HT060A Hitch cord is a 60cm, ø10mm Teufelberger OP Hitch Cord which has been sewn by ISC. This length of hitch cord has been specifically created for use with the ISC Chipmunk Tether.

Teufelberger do not currently offer this length in their range, therefore there is no acceptable alternative for this component of the KT282 Kit.

Example 3: Xstatic Rope:

Original label on Component of ISC KT282	ACCEPTABLE product alternative	UNACCEPTABLE product alternative
<p>Part of ISC Rope Wrench System– KT282</p>	<ul style="list-style-type: none"> ✓ Same product type ✓ Same diameter ✓ Different label ('Part of KT282' label not present) 	<ul style="list-style-type: none"> ✗ Different product type ✗ Different diameter

Please refer to the ISC Rope Wrench System User Instruction Manual for details of compliant rope, cord and hitch configurations.

When alternative components without the ISC label 'Part of Kit KT282' are used, it is the responsibility of the user that only compatible components are used together in order to maintain the validity of the CE certification.